

Overview

Fujitsu fi-65F Passport Scanner

Fujitsu

Part no. FJ3000



Price

A\$ 539.83 (incl. GST)

A\$ 490.75 (excl. GST)

Availability: Call

Part no. FJ3000

% A\$576.00* (6.28% saved)

Prices incl. VAT plus shipping costs

Description

The compact, lightweight Fujitsu fi-65F Passport Scanner is ideal for busy office and retail environments. It's compact size makes it an ideal counter top scanner for use in the medical, financial, leisure, transportation, education and government sectors or for any user that has the need to instantly capture small format material such as passports, driving licences, identification or insurance cards.

It quickly scans important, small documents like passports, IDs, prescriptions, driving licences, customer and medical cards and photographs, and seamlessly integrates with virtually any line of business application (LoB). The fi-65F weighs less than 1kg and has an impressively small footprint of only 145 x 234mm, making it ideally suited for even the smallest desktop, reception, check-in desk or cashier booth. It can even be built into the counter-top.

The device features high-speed USB 2.0 connectivity, outstanding performance and easy installation. The scanner can be powered through a second USB port on the computer - it can be used easily even in mobile environments where an AC power supply is unavailable.

Main features: Ultra-fast and very compact flatbed scanner for scanning ID cards, passports. 600dpi, USB2, 1 year warranty RTB.

Product information

Model No.:	fi-65F
Flatbed Scan Area:	105 x 148 mm
ADF Capacity (pages):	1
ADF Scan Area - Max.:	148x105 mm
Duplex or Simplex:	Simplex
Colour Modes:	B&W, Greyscale, Colour
Scanning Technology:	CIS
Interface:	USB2
Resolution (dpi, optical):	600
Light Source:	LED
File Formats:	Text Searchable PDF, JPEG
Software Standards:	Image emphasis, simplified DTC, error diffusion, dither, moire removal, auto de-skew, auto-cropping, dropout colour (R, G, B, None)
Imaging Features:	Deskewing, auto-crop, blank page removal.
In the Box:	PaperStream IP (TWAIN) driver, PaperStream IP (TWAINx64) driver, PaperStream IP (ISIS) driver, PaperStream Capture, Software operation panel
PC Configuration:	Minimum: 2GB RAM, USB1. Recommended: 4GB RAM, 2 x USB2 ports
Supported OS:	WINDOWS 7, Win 8.1, Win 10. Server 2008, 2012, 2016
Dimensions:	145x234x40 mm
Weight:	.90
Electrical:	Input: 100-240 VAC, 50/60 Hz. Power consumption:

Operating Environment:	5°C to 35°C, 20-80%RH
Warranty:	12 months parts & labour warranty
Flatbed:	Yes
Duty Cycle:	★

Reviews

0 of 0 reviews



No reviews found. Be the first to share your insights.